




GLORystAR

INFINITUS

Touchscreen Signage i3



Anti-Glare | Anti-fingerprint



Sleeker Design with More Visibility



Windows | Android | Monitor

Overview

The Infinitus Touchscreen Signage has just received a major upgrade, and it's a game-changer for businesses looking to enhance their customer experience in large format displays of 32" and 43". Featuring anti-glare touch glass, a fast and sensitive response and a sleek metal housing and bezel, it's perfect for applications like gaming tables, digital white boards and corporate signages. It can be installed in portrait, landscape or face-up orientation that offers exceptional color performance, high contrast and wide viewing angles. Plus, having a standard of 60950-1 ball drop proof testing standard makes it a durable large format display. The 32-inch has Bonded Panel technology.

Specification

Processors		i3- 1215U	
Model Number		INF321 PART#1215U	INF431 PART#1215U
Screen Size		32"	43"
Panel Info	Resolution	1920 x 1080	3840 x 2160
	Panel Brightness	350cd/m ²	300cd/m ²
	Brightness	300cd/m ² with touch Screen	
	Contrast Ratio	1000:1	1000:1
	Aspect Ratio	16:9	16:9
	Active Display Area	698.40 x 392.85mm	941.184 x 529.416mm
	Viewing Angle	178°	
Touch Data	Touch Tech	G+G 10 point capacitive w/ anti-glare /anti-fingerprint	
	Hardness Of Surface	6H	
	Touch method	Finger touch	
	Transparency	≥85%	
	Touch Glass Thickness	4.3mm	
CPU& System	CPU	i3-1215U	
	P-core Max Turbo Frequency	4.4GHz	
	E-core Max Turbo Frequency	3.3GHz	
	CPU Cache	10MB	
	BIOS	AMI UEFI BIOS	
RAM	RAM	8GB , Dual Channel SO-DIMM DDR4 (Max 64GB)	
ROM	Storages	256GB, M.2 for NVME 2280 SSD	
Software	OS	Windows 11 64 bit, Linux 64 bit	
Display	GPU Chipset	Intel Iris® Xe Graphics eligible/UHD Graphics depends on CPU	
Audio	Speaker	5W x 2	
Ethernet	Controller	1 x (1000Mbps) ; 1 x (2500Mbps)	
	Connector	2 x RJ45	
	Wake on Lan	Yes	
	WIFI/ Bluetooth	802.11a/b/g/n/ac/ax(PreStandard) , Bluetooth 5.0	
Storage	Slot	M.2 for NVME 2280 SSD	
Housing	Material & Color	Metal Enclosure with Black Paint (partly outdoor painted)	
	Chassis	Metal Black and Aluminium	
	Front	Metal Black and Aluminium	
	Back	Metal Black and Aluminium	
Rear Panel I/O	USB 3.0	4xUSB 3.2	
	Audio	Line-out x 1, Mic-in x 1	
	LAN	1 x (1000Mbps) ; 1 x (2500Mbps)	
	Display Port	N/A	
Insider PCBA	COM	6 x RS232(default) or 5*RS232+1*RS485(COM1) (inside PCBA)	
	USB 2.0	4 x USB2.0 header (inside PCBA)	
	I/O	8 x GPIO (inside PCBA)	
Hardware Monitor	Sensor	N/A	
	Included in Box	INFINITUS Tablet, Power cable	
	Operating Environment	Working Temperature: 0-45 degree celsius	
	Language	Multi language	
Power Management	Power supply unit	Internal	
	Power supply	AC100-240V 50/60Hz	
	Power usage	TBD	TBD
Sustainability	Regulations	FCC, CE (INF431 only) RoHS support	
	REACH SVHC	REACH does not contain SVHC above 0.1%: Lead	
Mounting	VESA	200x400	400 x 400
Dimensions	Size (WxDxH)	735.7 x 430.2 x 49.89mm	978.5 x 566.7 x 55.2mm
	Product Weight	10.5kg	18.5kg
	Gift Box Size (WxDxH)	851 x161 x 545mm	1113 x 161 x 690mm
	Master Carton Size (WxDxH)	Same as Gift box	Same as Gift box
	Master Carton Weight	14kg	23.7kg
	Units per Master Carton	1pcs	
	Box / Pallet	22pcs	13pcs

CONTACT US

United States

101 Hudson St., 21st Floor
Jersey City, NJ 07302, USA
[626 228 5927](tel:6262285927)

Hong Kong

Flat D, 5/F, Excelsior Building,
364 Nathan Road,
Kowloon, Hong Kong
[852 23762803](tel:85223762803)

ShenZhen

Bldg 9, 4/F Zhong Yuntai Technology Industrial Park,
Tangtou No.1 Road, Shiyuan Street, Baoan,
ShenZhen, PRC
[86 755 2600 1808](tel:8675526001808)

To find out more about our extensive range of Glory Star solutions, go to www.glorystargroup.com, or call the office nearest you. For more information, please contact us at sales@glorystargroup.com. Glory Star reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. Glory Star, the Glory Star logo, STAR CONTROL and STAROS are either trademarks or registered trademarks of Glory Star Group Limited. All other trademarks are the property of their respective owners.