





GLORystAR

## 21.5 inch Mobile Metal Floor Stand



Large-Screen Display



Support Landscape/Portrait



VESA










### Overview

The Floor-standing self-service kiosk stand, designed for commercial, public, and industrial applications, supports landscape and portrait orientation rotation and is compatible with 100×100 mm VESA mounting holes. Height adjustment range reaches up to 130 mm. Equipped with omnidirectional casters enabling 360° flexible mobility, the stand facilitates versatile deployment across diverse environments. Its main frame is constructed from SPCC steel and aluminum alloy—robust and durable—with a maximum load capacity of 9 kg, ensuring long-term safe and reliable operation of large-size displays..

# Specifications


Mobile Metal Floor Stand	
<b>Model</b>	<b>FIX-044</b>
Compatible Models	NES210
Base Shape	Circular base
Battery	Without
Column Material	Aluminum alloy
Base Material	SPCC
Color	Gray or White (Available in two colors )
Field of View	Pitch Adjustment of 20°
Swivel Range	0°~+90°
Height	1204.7mm
Lift and lower	130 mm vertical height adjustment
Max Load Capacity	9Kg
VESA mounting holes	100 x 100 Aperture: 4.2mm
Power Switch	Illuminated metal button
Mobility	Yes, With Caster Wheels Braking is not Supported
Weight	8.9Kg
Inner Box Size (LxWxH)	685 x 497 x 151 mm
Outer Box Size (LxWxH)	Same as the inner box
Gross Weight	10.7kg
Pieces / Carton	1pc / ctn

# Accessories

<b>① Base</b> 	<b>③ Lower Column</b> 	<b>⑤ Charger</b> 	<b>⑦ M6x8 Screws x 4</b> 	<b>⑨ Power Cord</b> 
<b>② Upper Column</b> 	<b>④ Screwdriver</b> 	<b>⑥ BM4x10 Screws x 4</b> 	<b>⑧ M8 Connecting Screw x 1</b> 	

# Dimension:

## Circular Base



豆包AI生成

## CONTACT US

### United States

1440 N. Harbor Blvd Suite 900  
Fullerton, CA 92835, USA  
[626 228 5927](tel:6262285927)

### Hong Kong

Flat D, 5/F, Excelsior Building,  
364 Nathan Road,  
Kowloon, Hong Kong  
[852 23762803](tel:85223762803)

### ShenZhen

Bldg. 9, 4/F Zhong Yuntai Technology  
Industrial Park, Tangtou No.1 Road,  
Shiyan Street, Baoan,  
ShenZhen, PRC  
[86 755 2600 1808](tel:8675526001808)

To find out more about our extensive range of Glory Star solutions, go to [www.glorystargroup.com](http://www.glorystargroup.com), or call the office nearest you. For more information, please contact us at [sales@glorystargroup.com](mailto:sales@glorystargroup.com). Glory Star reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. Glory Star, the Glory Star logo, STAR CONTROL and STAROS are either trademarks or registered trademarks of Glory Star Group Limited. All other trademarks are the property of their respective owners.